



Eurotrac

Stougjesdijk 153 3271KB

Mijnsheerenland NL

info@eurotrac.nl

+31 (0) 186 612333



EUROTRAC E11-ECO

The Eurotrac E11-eco, 100% electric

Equipped with lithium battery with max capacity of 6 hours and charging time of 1.5 hours

- 21.2kWh battery
- 220V Built-in battery charger
- Joystick control
- Quick-change hydraulics
- Additional hydraulic function
- LED worklights / Road lighting
- Tyre size 26.x12-12AS

€28,650.00

Specifications

DIMENSIONS

Bin pivot	461
Cradle base	1345
Digging depth	55
Ejection height	2007
Ground clearance	198
Height to top of roof	2138
Inside turning circle	653
Loading height	2510
Max. lifting height	2780
Outer diameter	2268
Overall length with bin	3850
Overall length without bin	3000
Overall width	1106
Range (m)	447
Rear overhang	904
Rotation angle	58
Seat height	1178
Tilt-in angle	38
Tilting angle at max. lifting height	57
Tipping angle	35
Total working height	3547
Track width	801
Turning circle	1796

ELECTRIC MOTOR

Driving motor	9
Running time	6 uur

HYDRAULIC SYSTEM

Oil yield	36
Workload	180 bar

WEIGHT

Lifting frame horizontal & machine straight	800
Lifting frame horizontal & machine tilted	500 kg
Max. Lifting capacity	800
Own weight	1880

Pictures

